## PENOSIL HYBRID POLYMER TURBO-Tack 701 white

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: PENOSIL HYBRID POLYMER TURBO-Tack 701 white

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Multiuse adhesive

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

WOLF GROUP IBÉRICO, SAU AVDA. BERTRAN GÜELL, 78 08850 GAVÀ - BARCELONA - SPAIN

Phone: +34 936629911 QHSE.es@wolf-group.com www.wolf-group.com

1.4 Emergency telephone number: 112

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture:

**GB CLP Regulation:** 

The product is not classified as hazardous according to GB CLP Regulation.

2.2 Label elements:

**GB CLP Regulation:** 

**Hazard statements:** 

Non-applicable

**Precautionary statements:** 

Non-applicable

Supplementary information:

EUH208: Contains Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate, Trimethoxyvinylsilane. May produce an allergic reaction.

EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

|      | Identification                          | Chemical name/Classification                      |            |  |
|------|---|---|------------|--|
| 040  |   | Titanium dioxide (aerodynamic diameter ≤ 10 μm)   | 1 - <2.5 % |  |
| CAS: | CAS: 13463-67-7 Carc. 2: H351 - Warning |   |            |  |
| 040  | 0700 00 7                               | Trimethoxyvinylsilane                             | 0.1 -1.9/  |  |
| CAS: | 2768-02-7                               | Flam. Liq. 3: H226; Skin Sens. 1B: H317 - Warning | 0,1 - <1 % |  |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# **SECTION 4: FIRST AID MEASURES**

- CONTINUED ON NEXT PAGE -

Printing: 17/04/2023 Date of compilation: 28/05/2015 Revised: 18/07/2022 Version: 9 (Replaced Page 1/9

## PENOSIL HYBRID POLYMER TURBO-Tack 701 white

# SECTION 4: FIRST AID MEASURES (continued)

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

#### By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

#### By eye contact:

This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.

#### By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

## 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# **SECTION 5: FIREFIGHTING MEASURES**

## 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

# Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

# 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

## For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

- CONTINUED ON NEXT PAGE -

Printing: 17/04/2023 Date of compilation: 28/05/2015 Revised: 18/07/2022 Version: 9 (Replaced Page 2/9

## PENOSIL HYBRID POLYMER TURBO-Tack 701 white

# SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

| Identification                                  | Occupational exposure limits |  |         |
|---|------------------------------|--|---------|
| Titanium dioxide (aerodynamic diameter ≤ 10 μm) | WEL (8h)                     |  | 4 mg/m³ |
| CAS: 13463-67-7                                 | WEL (15 min)                 |  |         |

## **DNEL** (Workers):

|                       |            | Short exposure |                | Long exposure  |                |
|-----------------------|------------|----------------|----------------|----------------|----------------|
| Identification        |            | Systemic       | Local          | Systemic       | Local          |
| Trimethoxyvinylsilane | Oral       | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 2768-02-7        | Dermal     | Non-applicable | Non-applicable | 3.9 mg/kg      | Non-applicable |
| EC: 220-449-8         | Inhalation | Non-applicable | Non-applicable | 27.6 mg/m³     | Non-applicable |

# **DNEL** (General population):

Printing: 17/04/2023 Date of compilation: 28/05/2015 Revised: 18/07/2022 Version: 9 (Replaced Page 3/9

## PENOSIL HYBRID POLYMER TURBO-Tack 701 white

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

|                       |            | Short exposure |                | Long exposure |                |
|-----------------------|------------|----------------|----------------|---------------|----------------|
| Identification        |            | Systemic       | Local          | Systemic      | Local          |
| Trimethoxyvinylsilane | Oral       | Non-applicable | Non-applicable | 0.3 mg/kg     | Non-applicable |
| CAS: 2768-02-7        | Dermal     | Non-applicable | Non-applicable | 7.8 mg/kg     | Non-applicable |
| EC: 220-449-8         | Inhalation | Non-applicable | Non-applicable | 18.9 mg/m³    | Non-applicable |

## PNEC:

Non-applicable

## 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Non-applicable

D.- Eye and face protection

Non-applicable

E.- Body protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

# Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012:

V.O.C. (Supply): 1.4 % weight

V.O.C. density at 20 °C: 21.76 kg/m³ (21.76 g/L)

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties:

## Appearance:

Physical state at 20 °C:

Appearance:

Colour:

Not available

Odour threshold:

Non-applicable \*

Volatility:

Boiling point at atmospheric pressure: 171 °C Vapour pressure at 20 °C: 858 Pa

Vapour pressure at 50 °C: 3815.01 Pa (3.82 kPa)
Evaporation rate at 20 °C: Non-applicable \*

**Product description:** 

Density at 20 °C: 1550 kg/m<sup>3</sup>

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Printing: 17/04/2023 Date of compilation: 28/05/2015 Revised: 18/07/2022 Version: 9 (Replaced Page 4/9



## PENOSIL HYBRID POLYMER TURBO-Tack 701 white

Non-applicable \*

Non-applicable \*

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Relative density at 20 °C: 1.55

Dynamic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 40 °C: >20.5 mm<sup>2</sup>/s Concentration: Non-applicable \* pH: Non-applicable \* Vapour density at 20 °C: Non-applicable \* Partition coefficient n-octanol/water 20 °C: Non-applicable \* Solubility in water at 20 °C: Non-applicable \* Solubility properties: Non-applicable \*

Decomposition temperature:

Melting point/freezing point:

Flammability:

Flash Point: 100 °C

Flammability (solid, gas): Non-applicable \*

Autoignition temperature: 245 °C

Lower flammability limit: Non-applicable \*
Upper flammability limit: Non-applicable \*

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Non-applicable \*

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Non-applicable \*

Non-applicable \*

components:

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Non-applicable \*

Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

# **SECTION 10: STABILITY AND REACTIVITY**

## 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

## 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

## 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

## 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight   | Humidity       |
|--------------------|------------------|-------------------------|------------|----------------|
| Not applicable     | Not applicable   | Precaution              | Precaution | Not applicable |

### 10.5 Incompatible materials:

Printing: 17/04/2023 Date of compilation: 28/05/2015 Revised: 18/07/2022 Version: 9 (Replaced Page 5/9

# PENOSIL HYBRID POLYMER TURBO-Tack 701 white

# SECTION 10: STABILITY AND REACTIVITY (continued)

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO), carbon monoxide and other organic compounds.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with carcinogenic effects. For more information see section 3.
    - IARC: Titanium dioxide (aerodynamic diameter ≤ 10 µm) (2B)
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

- CONTINUED ON NEXT PAGE -

Printing: 17/04/2023 Date of compilation: 28/05/2015 Revised: 18/07/2022 Version: 9 (Replaced Page 6/9



## PENOSIL HYBRID POLYMER TURBO-Tack 701 white

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

CAS 13463-67-7 Titanium dioxide (aerodynamic diameter  $\leq$  10  $\mu$ m): The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq$  10  $\mu$ m

## Specific toxicology information on the substances:

| Identification                                  | Acu             | Acute toxicity |        |  |
|---|-----------------|----------------|--------|--|
| Titanium dioxide (aerodynamic diameter ≤ 10 µm) | LD50 oral       | 10000 mg/kg    | Rat    |  |
| CAS: 13463-67-7                                 | LD50 dermal     | 10000 mg/kg    | Rabbit |  |
|   | LC50 inhalation | >5 mg/L        |        |  |
| Trimethoxyvinylsilane                           | LD50 oral       | 7236 mg/kg     | Rat    |  |
| CAS: 2768-02-7                                  | LD50 dermal     | 3880 mg/kg     | Rabbit |  |
|   | LC50 inhalation | >20 mg/L       |        |  |

## Acute Toxicity Estimate (ATE mix):

|                                      | Ingredient(s) of unknown toxicity      |                |
|--------------------------------------|--|----------------|
| ral >5000 mg/kg (Calculation method) |  | Non-applicable |
| Dermal                               | ermal >5000 mg/kg (Calculation method) |                |
| Inhalation                           | >20 mg/L (4 h) (Calculation method)    | Non-applicable |

# **SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

#### 12.1 Toxicity:

#### Acute toxicity:

| Identification        | Concentration |                 | Species             | Genus      |
|-----------------------|---------------|-----------------|---------------------|------------|
| Trimethoxyvinylsilane | LC50          | 191 mg/L (96 h) | Oncorhynchus mykiss | Fish       |
| CAS: 2768-02-7        | EC50          | 167 mg/L (48 h) | Daphnia magna       | Crustacean |
|                       | EC50          | 957 mg/L (72 h) | N/A                 | Algae      |

# **Chronic toxicity:**

| Identification        | Concentration |                | Species       | Genus      |
|-----------------------|---------------|----------------|---------------|------------|
| Trimethoxyvinylsilane | NOEC          | Non-applicable |               |            |
| CAS: 2768-02-7        | NOEC          | 28.1 mg/L      | Daphnia magna | Crustacean |

# 12.2 Persistence and degradability:

# Substance-specific information:

| Identification        | Degradability |                | Biodegradab     | oility   |
|-----------------------|---------------|----------------|-----------------|----------|
| Trimethoxyvinylsilane | BOD5          | Non-applicable | Concentration   | 104 mg/L |
| CAS: 2768-02-7        | COD           | Non-applicable | Period          | 28 days  |
|                       | BOD5/COD      | Non-applicable | % Biodegradable | 51 %     |

# 12.3 Bioaccumulative potential:

Not available

## 12.4 Mobility in soil:

Not available

## 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

# 12.6 Other adverse effects:

Not described

# **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1 Waste treatment methods:

- CONTINUED ON NEXT PAGE -

Printing: 17/04/2023 Date of compilation: 28/05/2015 Revised: 18/07/2022 Version: 9 (Replaced Page 7/9

# PENOSIL HYBRID POLYMER TURBO-Tack 701 white

# SECTION 13: DISPOSAL CONSIDERATIONS (continued)

| I | Code     | Description   | Waste class   |
|---|----------|---|---------------|
| ſ | 08 04 10 | waste adhesives and sealants other than those mentioned in 08 04 09 | Non dangerous |

#### Type of waste:

Non-applicable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

## **SECTION 14: TRANSPORT INFORMATION**

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable
- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

The Control of Major Accident Hazards Regulations 2015:

Non-applicable

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc ....):

Non-applicable

## Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.

Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

# **SECTION 16: OTHER INFORMATION**

## Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

# **GB CLP Regulation:**

Carc. 2: H351 - Suspected of causing cancer (Inhalation).

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

#### Classification procedure:

Non-applicable

Advice related to training:

- CONTINUED ON NEXT PAGE -

Printing: 17/04/2023 Date of compilation: 28/05/2015 Revised: 18/07/2022 Version: 9 (Replaced Page 8/9





## PENOSIL HYBRID POLYMER TURBO-Tack 701 white

# SECTION 16: OTHER INFORMATION (continued)

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

# Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

## Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50

EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Date of compilation: 28/05/2015 Revised: 18/07/2022 Version: 9 (Replaced Page 9/9